



Stealth Products

Beyond Expectations

Product
Guide
2011

Why Stealth Products?

Over Ten Years Of Innovation!

Stealth is a U.S. manufacturer with more than 10 years experience in the rehab market. Launched in 1999, Stealth Products began in response to a need for versatile, high quality head and neck positioning systems, as well as switch site location hardware.

Today we have a team of more than 100 employees. Our product designers and engineers are able to produce any unique product requested.


Due to the industry's growing needs, Stealth's product line now includes: Head and Body Support/Positioning, Joystick Mounts, Trays, Seating, and Pediatric Mobility products.

Along with our excellent product line, we offer various training programs and top of the line customer service.

Our company supplies some of the largest wheelchair manufacturers in the world. We have distributors in 22 countries; as shown on the back page.

We thank you for your interest in our product line and we will be more than happy to answer any questions or concerns you may have.

Stealth Products, Inc.



What's Missing




When considering many types of mobility, positioning is the central factor in the selection process.



- A. The Comfort Series is the most popular of all Stealth Headrest; it comes in five sizes; 6"(152.4cm), 8"(203.2cm), 10"(254.0cm), 14"(355.6cm), and 19"(457.2cm).
- B. Gatlin Series; with most of today's joystick mounts being used on power chairs, this is a great alternative for positioning a joystick in a unique way. (GAT400)
- C. Adductors allow hip and thigh alignment, pain reduction and precise positioning. (TWB-ADD)
- D. The laterals were the first series to include links that added distance and positioning with unique attachments like the FSC contact pad. (TWBL)
- E. Elbow Supports are one of our newest positioning products that allow users to achieve maximum use of their power chair. (ARMS-ES)



- A. The All Positioning System is a great positioning head rest with a moldable style metal base. It comes in X-small, Small, Medium, Large, and X-large.
- B. The Eclipse Tray is an option for the Gatlin. It allows users to have complete support for use with a joystick. (GAT400)
- C. Adductors with the FSC technology allow the pad to position flat on client. (TWBADD-FSC)
- D. Thin Style Laterals were designed for positioning in tight areas on the side of a wheelchair. (TWBSTL)
- E. Elbow Supports come with different pad sizes and foam types.



- A. Ultra Series is the Ultimate in Head Positioning. This system is completely custom-built with many options and accessories.
- B. TWBSHR is our new shoulder retractor . It allows for direction and positioning of shoulder rotation/fatigue.
- C. The ARMS260 allows users to offset mount any joystick, it also has a flip down mechanism.
- D. KN1ADD is a clean and functional knee adductor that allows for precise positioning and support.
- E. The LTHW-509 is another added accessory that allows the laterals to be easily adjustable.




- A. The i2i is our most recognized product. Its core features make it a class of its own. (X-Small, Small, Medium, Large, X-Large)
- B. The TWB480 allows for height and depth adjustment.
- C. The Abductors have multiple links to reach above any thickness of seat cushion.
- D. The laterals can mount to most all wheelchairs in the industry.
- E. Our elbow supports have a variety of pads and foam types. (ARMS-ES)

Head Positioning

The Ultra QCRS Series

The Ultra QCRS is an all encompassing Head Positioning System with adjustment capabilities. It has a portfolio of options and accessories to meet virtually any client's needs. With the addition of the TWB Links, adjustment to client's positioning will be successful with a single tool.





How it works and configuration options

The occipital pad cradles the head and is primarily a resting spot with nominal lateral support. It also acts as a posterior boundary, minimizing hyper extension from abnormal reflexes or tones. The occipital pad is necessary for transportation as well as tilt and recline features.

Positioned at the base of the skull, and used in conjunction with an occipital pad, the sub-occipital pad provides additional lateral and posterior support for individuals that require mild to moderate assistance in maintaining midline positioning. The sub-occipital is bendable so it can be contoured specifically for each individual, which alleviates the tendency to suspend the head or create excessive pressure on the neck.

Facial lateral pads are more specific for individuals with uncontrolled movements, such as seizures, reflexes, or individuals with low tone or cognition. Facial pads can be used to facilitate proper head alignment and deter further deformity or shortening of muscles.

Facial switches are both practical and easily accessible. When embedded in a facial pad, they become discreet and supportive switch access points. Facial switches are also valuable in maintaining muscle strength or developing proper head alignment.



The i2i Series

The i2i System was developed by Leslie Fitzsimmons PT, STP who after trying all available options decided that enough was enough and designed the i2i System for her most challenged students at Lakeview School in New Jersey.

Why it works?

The unique integrated structure of the i2i connects the head and neck and forms a support similar to that of an exoskeleton. It is positioned high on the neck and not on the lower portion, which tends to leave the upper neck and head unsupported.

The anterior arms act as an anchor for the Chin Prompt. They provide an anterior thoracic boundary and a channel to direct extensor tone into a midline position.

The lateral component promotes midline head position and offers cervical support while maintaining


range of motion. As a client begins to extend, their head is invited back into a more neutral position. A midline position discourages reflex postures and provides appropriate proprioceptive input. It has also been found to promote the development of controlled neck flexion and extension.

The adjustable arms allow unique positioning and flexion with a locking mechanism to keep them in place.



Swing-Away facial lateral pads can be used in conjunction with the i2i for added anterior or lateral support. Switches can either be used for easy access, or positioned to promote active head and neck control.

Using the TWB480-FDM with the i2i, allows for easy disassembly to care for your patient. Having a more steady and clean design lets you have a more secure attachment. Once it's set up it stays that way. No excuses!!



A The unique, integrated shape of the i2i provides a maximal, proximal foundational connection between the head and neck. The sub occipital and integrated low profile occipital components provide posterior support and set a limit to cervical extension while also offering a resting spot.




B Anterior arms act as an anchor for the chin prompt and provide an anterior thoracic boundary that channels movement into a midline position. With children, it is especially important the anterior arms don't obstruct shoulder movement.



C The lateral component promotes a midline head position and offers cervical support, while maintaining range of motion (ROM). Individuals with excessive weakness and poor head control should choose a more conforming fit while individuals with more controlled movements may choose a looser fit.

D The chin prompt is a dynamic support that provides foundational anterior head positioning. When systematically raised and lowered, it is an excellent therapeutic tool that encourages the neck muscles to strengthen. The chin prompt was carefully crafted and engineered with a curved posterior that prevents airway obstruction and a width that prevents an individual's chin from rolling over the front. Additionally, the prompt is made with a closed cell foam that prevents sinking and the straps are designed to slide if too much pressure is exerted. A variation of the chin prompt is also offered that is specifically designed for the trachea. For safety, the chin prompt should only be used under a caregivers supervision, and is **NOT** to be used during transportation.

E Individuals with excessive lateral flexion should consider ear cutouts on the i2i. The cutouts are specifically designed to increase ROM while reducing excessive lateral flexion and rooting reflexes. Also, ear cutouts should lessen friction and pressure for those with severe lateral flexion, thereby reducing irritation and deformity.



Actual Client

Head Support

The Comfort Plus | Tri-Comfort Series

Whether used as a stand alone head support or as part of a larger system, the Comfort Plus provides multiple options for switch sites, lateral facial devices, attachment hardware, etc. Luxurious comfort and a sleek design, make the Comfort Plus a favorite among our customers.

Features:

- A. Removable and washable cover.
- B. Durable pad constructed of layered foam on a coated metal shell.
- C. Covered with a soft, stretchable, durable material.


Specifications:

Part Number	Width	Height
CPN350 (Pediatric)	6" (152.4mm)	4.5" (114.3mm)
CP450	8" (203.2mm)	5.5" (139.7mm)
CP250	10" (254.0mm)	6" (152.4mm)
CP150	14" (355.6mm)	6" (152.4mm)
CP550	19" (482.6mm)	6" (152.4mm)
CP950*	Custom	Custom


Mounting Hardware:

Part Number	Tubing Type
HMO400	1/2" (12.7mm) square
HMO475	1/2" (12.7mm) square
TWB480	3/4" (19.05mm)
TWB480FDM	3/4" (19.05mm) - Flip Down
TWB485	1/2" (12.7mm) square
TWB486**	15mm square
TWB486FDM**	15mm square - Flip Down

* U.S. only | ** International Only



CP275 with TWB480 mounting hardware and the CPS9 Swing Away both sides with 910 facial pad (right) and ESBLU egg switch with mount (Left).



CP275 with our redesigned HMO475 hardware.

The All Positioning Series

The All Positioning System (AP) offers a unique flexibility. The innovative memory metal allows an "adjust on demand" quality unlike most headrests. With several attaching options, it is compatible with many of our head positioning systems. Combined with our TWB hardware, it is one of the most versatile systems on the market.

Specifications:

Part #	Height	Width	Depth
AP150	4.75" (120.75mm)	7" (177.8mm)	1.5" (38.1mm)
AP250	5.75" (146.05mm)	7.25" (184.15mm)	2.25" (57.15mm)
AP350	4.25" (107.95mm)	8.75" (222.25mm)	1.75" (44.45mm)
AP450	5.25" (133.35mm)	9.75" (247.65mm)	1.75" (44.45mm)
AP550	6" (152.4mm)	12" (304.8mm)	3" (76.20mm)

Features:

- A. Removable and washable cover.
- B. Durable pad constructed of layered foam on a **memory** coated metal shell.
- C. Covered with a soft, stretchable, durable material.


Mounting Hardware:

Part Number	Tubing Type
HMO400	1/2" (12.7mm) square
HMO475	1/2" (12.7mm) square
TWB480	3/4" (19.05mm)
TWB480FDM	3/4" (19.05mm) - Flip Down
TWB485	1/2" (12.7mm) square
TWB486**	15mm square
TWB486FDM**	15mm square - Flip Down

* U.S. only | ** International Only



AP250 with the TWB480 mounting hardware.



The Tone Deflector


The TD100 or TD101 hardware serves two main functions: **Absorb** and **Avert**. This intuitive design will absorb quick impact compression and avert slanted angle loading. This hardware is the premier addition for any high tone situation. Suggested for any single pad headrest.

Specifications:

Part Number	For
TD100	17mm ball
TD101	1" (25.4mm) ball

Installation:

- A. When disassembled, mount the TD adaptor plate to the back of the headrest.
- B. Mount the Tone Deflectors to the TD adaptor plate.
- C. Set the TD Cover to the deflectors.
- D. Finally, attach the steel SU Ring to the TD Cover.



Niño Series (Pediatric)

The TWBLN Series

The TWB Lateral for Niño (TWBLN) has proven to be one of the most versatile, dynamic and sleek designed laterals in the market. With the combination of a 200° joint adjustability, a 180° pad adjustability, and a 180° swing away action, this is the ideal hardware for any unique position. The Niño lateral will mount directly to either the back using the track system or to the canes on the mobility base.

Thin Laterals



The thin lateral is 25% thinner than the regular TWBL, but still retains all the strength, flexibility and function. Shown TWBSTL with link.


Part Number	Description
TWBNL-L	Swing Away Link Style - Left
TWBNL-R	Swing Away Link Style - Right
TWBTL-L	Thin Swing Away Style Left
TWBTL-R	Thin Swing Away Style Right
TWBSTL-L	Thin Swing Away w/Link Left
TWBSTL-R	Thin Swing Away w/Link Right

All Season Hardware

The LTHW-509, formerly ASTWBL, is a dynamic, width adjustable, Lateral mounting hardware. This hardware is adjustable and when needed, infinitely over 4 inches (101.6mm) of range per side, this means about 8" (203.2mm) overall per two laterals. Can be used with the regular TWBLN or the TWBL-FSC's.



TWBL Link Style Lateral System



Swing-Away Elbow Stops Pediatric Size Pads Available.

See Page 9 for more information.

The Niño i2i Series

Niño i2i Pads Sizes & Maximum Neck Circumferences

Part #	Description	Max Neck Circumference	Overall Width	Arm Length	Max Neck Width
i2i250	Niño X-Small	7.75"(196.85mm)	6.25"(158.75mm)	5.625"(142.88mm)	2.5"(63.5mm)
i2i350	Niño Small	8.625"(219.07mm)	7"(177.8 mm)	4.25"(107.95 mm)	2.75"(69.85 mm)
i2i450	Small Standard	11"(249.4mm)	8"(203.2mm)	6.5"(165.1mm)	4"(101.6mm)
i2i451	Small Short Arm	11"(249.4mm)	8"(203.2mm)	4.5"(114.3mm)	4"(101.6mm)
i2i490	Small Low Profile	11"(249.4mm)	8"(203.2mm)	6.5"(165.1mm)	4"(101.6mm)
i2i491	Small LP Short Arm	11"(249.4mm)	8"(203.2mm)	4.5"(114.3mm)	4"(101.6mm)
i2i550	Medium Standard	14"(355.6mm)	9"(228.6mm)	7.5"(190.5mm)	4.5"(114.3mm)
i2i551	Medium Short Arm	14"(355.6mm)	9"(228.6mm)	5.5"(139.7mm)	4.5"(114.3mm)
i2i590	Medium Low Profile	14"(355.6mm)	9"(228.6mm)	7.5"(190.5mm)	4.5"(114.3mm)
i2i591	Medium LP Short Arm	14"(355.6mm)	9"(228.6mm)	5.5"(139.7mm)	4.5"(114.3mm)

Sizes shown on inches (millimeters). For inches .5 = 1/2, .25 = 1/4, .625 = 5/8, .75 = 3/4 and .875 = 7/8



Early Intervention sizes:
i2i250 - Niño Extra Small
i2i350 - Niño Small
 Low Profile Only
 Short Arms not available



With the adjustable arms modification you have more levels of adjustability and support. Special lock system keep any set up intact at all times.

The Pediatric Niño i2i is designed for:

- Those dominated by increased flexion, or too weak to hold their head up for any sustained amount of time.
- Those presented by a great deal of extensor tone but poor midline control, which often results in their head getting caught under or to the side of their existing system.



The i2i380 shown includes i2i350 and the flip down link style mounting hardware TWB480-17FDM allows easy removal for transportation or special situations. For more information visit www.stealthproducts.com.

For high tone cases the **TD100** Tone Deflector is available. More information on previous page. If you have a testimonial or like our products leave your comments or like us at our [facebook page](https://www.facebook.com/stealthproducts).



The Niño Ultra Series

Niño Ultra Packages

Ultra Pads And Swing Away Options

Part #	Description	Part #	Description
SU980	Adjustable Ultra Channel with 17mm Horizontal Bar (K0108)	530	3" (76.20mm) x 2" (50.80mm) Occipital Pad
		610	6.375" (161.92mm) x 2.25" (57.15mm) Sub Occipital Pad
SUN127	530 Pad, SU980, 610 Pad, HMO475 Mounting	910	3" (76.20mm) x 2" (50.80mm) Facial Pad
		900	4.5" (114.3mm) x 2" (50.80mm) Facial Pad
SUN128	530 Pad, SU980, 610 Pad, TWB480 Mounting	920	6.375" (161.92mm) x 2.25" (63.5mm) Bendable Facial Pad
		930	6.375" (161.92mm) x 1.5" (38.1mm) Bendable Facial Pad
SUN129	530 Pad, SU980, 610 Pad, TWB485 Mounting	SUSN9-B	Lateral Swing-Away Assembly (Both Sides)
		SUSN9-L	Lateral Swing-Away Assembly (Left Side Only)
SUN520	530 Pad, TWB480 Mounting	SUSN9-R	Lateral Swing-Away Assembly (Right Side Only)
SUN960	Niño Ultra Channel	ESM	1.75" (44.45mm) x 1.25" (31.75mm) Egg Switch Mount



SUN128 with flip down mount modification and the SUSN9-B with two facial 910 pads.

Tilt Modifications



Tilt Actuator And Battery Box



Tilt Actuator



Power Tiger Tilt. Available for Power Tiger and Z500



Solara Battery Box

For more mobility base hardware, modifications, ideas and information, visit us at:



Power Tiger Tilt



PTT375 Power Tiger Tilt Modification

Solara Tilt



IIS360 Solara Tilt Modification

Stealth Powered Iris Tilt



IRIS380 Sunrise Quickie Iris Tilt Mod.

Power And Manual Tilt Modifications

Add power tilt to a variety of manual or power chairs for independent repositioning. Clients can now have more control over pressure relief, postural changes, positioning, feeding, respiration, hygiene, pain management, tone management and a variety of other everyday occurrences.

Powered tilt systems do not disturb or alter the general chairs functioning, yet these systems offer a new kind of freedom and comfort in a manual chair.

Historically, our industry equates Power Tilt with Power Chairs. The unfortunate consequence of this is that many clients who would benefit from having independent tilt never have the opportunity and suffer the consequences.

We have listed a number of examples where a power tilt is needed:

- A. When visual impairment precludes driving.
- B. When there are cognitive impairments covering a wide range of situations that include individuals who are impaired for driving, post stroke, etc...
- C. Where low motivation or behavioral issues preclude driving.
- D. In facilities where power chair use is not allowed.
- E. When driving circumstances do not provide for a caregiver on call or as needed.

Information Chart

Specifications	Solara	Compass	Spree	TS	Iris	Tiger	Z500
Part Numbers	IIS360	COM350	SPR360	QTS375	IRIS380	PTT375	QZ500
Degree	40	40	40	40	40	40	40
Added Weight	28 lbs.	25 lbs.	25 lbs.	25 lbs.	25 lbs.	22 lbs.	22 lbs.
Battery Req.	Included	Included	Included	Included	Included	U1	U1
Actuator Size	350mm	200mm	200mm	200mm	350mm	150mm	150mm
Mounting Brkts.	Included	Included	Included	Included	Included	Included	Included
Battery Charger	Included	Included	Included	Included	Included	Included	Included
Tilt Interface	12v	12v	12v	12v	12v	24v	24v
Tilt Switch	ESBLK	ESBLK	ESBLK	ESBLK	ESBLK	ESBLK	ESBLK
Battery Box	Included	Included	Included	Included	Included	Included	Included

Power tilts are available for Power Tiger; Z500; Invacare Solara, Solara Jr., Spree, and Compass; Sunrise Quickie Iris, TS and Zippie chairs; and PDG Stellar.

Replacement Parts

Part #	Description
IIS350-BC	12 Volts Battery Charger
IIS350-TRAY	Solara Battery Tray
STL300-BB	Battery Box With Terminals
STL994-12	Tilt Interface Box
STL994-24	Power Tilt Interface 24 Volts

Power Tilt Guidelines


- A. There can be no attendant brake. Chairs must use individual wheel brakes.
- B. There can be no vent tray. The location interferes with actuators and battery.
- C. Chairs **Must** be drop shipped to Stealth for installation.
- D. There can be no bilateral contracture foot plates. The bracket interferes with the actuator mount.
- E. If the chair has a manual reclining back it will need a mercury switch at an additional cost.
- F. If an Iris has a drop seat, the drop seat plate will be removed.
- G. For the Power Tiger - **specify electronics.**

Mobility Bases

Lightning

The LIGHTNING is a lightweight, highly functional Pediatric Mobility Base designed with a recreational look that compliments today's lifestyle. The LIGHTNING is an innovative vehicle specifically constructed to be extremely rugged and especially convenient for transporting and storing due to it's easy to operate Stand & Fold feature. For function, performance, and durability in a beautiful package, the LIGHTNING is a strikingly bright choice!

Optional Accessories

			
LT-HR Headrest Pad*	LT-HRE Headrest Extension*	LT-BC Canopy include LT-HRE	LT-BSF Adjustable Single Flap Lateral Support with Scoli Strap*
			
LT-BHC Soft Covers For H-Harness	LT-BAC Heel Loop / Ankle Cuffs	LT-DF Adjustable Double Flap Lateral Support w/ Scoli Strap	LT-EK 2" (50.80mm) Seat Depth Extension Kit **
			
LT-RK 2" (50.80mm) Seat Depth Reduction Kit *	LT-WT Work-N-Play Tray*	LT-TD Transportation Tie-Down Kit	
			
LT11-CC, LT14-CC, LT16-CC Contoured Seat Cushion	LT11-NC, LT14-NC, LT16-NC Neoprene Back Cover	LT-AH Adjustable Push Handle	* Specify Size, Color or Both ** Not Available for 16" frame



Point of Impact: The Lightning is so tough, it exhibits virtually no distortion at point of impact.



Simple and unique folding mechanism

Transportation: The Lightning meets the requirements specified in 5.3 of section 19 of Ansi/Resna WC/Vol. 1 prior to May 2002.

For more mobility base hardware, modifications, ideas and information, visit us at:



Sprite

The SPRITE incorporates the proven Lightning frame while accommodating Stealth's Lightweight TWB Seats and Backs, or Stealth's NEW Full Seating System line. Headrests, Laterals, Hip Guides, and Medial Thigh Supports can all be added to the SPRITE for a complete positioning Mobility Base. Beauty, function, quality and portability come standard with the SPRITE.

TWB Lightweight Seats & Backs are available for the Sprite 11" (279.4mm), 14" (355.6mm) and 16" (406.4mm) base widths. In Full, T-Back or I-Back configurations and in custom Back Heights.

What Makes The TWB Seats & Backs Lightweight, Durable & Comfortable?!

A resilient foam layer is laminated over a durable closed cell layer to prevent a bottom-out effect on the shell. The back foam is attached to the shell with Velcro to provide easy access for modifications.

For additional durability and comfort, both Neoprene and Vinyl covers are available. All covers include zippers for convenient

removal.

7/8" (22.22mm) Back canes accommodate most after-market backs including Stealth lightweight backs; shown on the sprite image with back attaching hardware.

The LTHW-519 Dual Positioning Flip Away lateral allows to fold the Sprite entirely, not needing to

remove all the seating system.



SPRITE



Simple to use and easily accessible Back Angle-Adjusters. (SP-MAH/SP-IMA Series)



FEATURES: The Stealth Seat Angle (SSA) allows you to set the angle at 5, 10 or 15 degrees (approx.) (patent pending)

Foot Positioning Options



Single Leg Foot Boxes

SPLE107	Small
SPLE108	Medium
SPLE109	Large
SPLE110	Custom

Double Leg Foot Boxes

SPLE103	Small
SPLE104	Medium
SPLE105	Large
SPLE106	Custom

Foot Support

SPLE111	Small
SPLE112	Medium
SPLE113	Large
SPLE114	X-Large

The positioning footrests will easily adjust in 1" (25.4mm) increments. The rigging remove easily and the positioning pin is tethered to prevent loss. Foot plates incorporate 50° of adjustable angle for dorsal and planar flexion. And adjust laterally over a 2" (50.8mm) range. Also, fore and aft adjustment over 1.5" (38.1mm) range.

Ankle Huggers®



Velcro Release Hook And Loop Adjustable Mount

SFT205A	X-Small
SFT206A	Small
SFT202A	Medium
SFT203A	Large
SFT204A	X-Large

Side Release Adjustable Mount

SFT205SR	X-Small
SFT206SR	Small
SFT202SR	Medium
SFT203SR	Large
SFT204SR	X-Large

Seating Positioning



TWBADD

The TWBADD is an example of how our designs are so versatile and functional. You can add or subtract links to get an exact position on your client.

Our focus and designs are for the clients we serve. Adjustment, Sleekness and Strength are ways to describe our line.

The LTHW-519

With a Dual Position flip away, this lateral allows to fold our Sprite mobility base without having to remove the entire seating system. Great for quick get up and go situations.



The LTHW-509

The LTHW-509 is a dynamic width adjustable Lateral mounting hardware. Needing no tools, the LTHW-509 laterals are adjustable over a 4" (101.6mm) span per side (8" -203.2mm- overall per two laterals). The LTHW-509's can be used with the regular TWBL or the New TWBL-FSC's.

Full Contact Surface (FSC)




Full Surface Contact (FSC) is a desirable goal for seating and positioning, especially when dealing with asymmetrical clients using symmetrical products. This inherent mismatch compromises the goal every time. The FSC has the ability to adjust to the body's real needs so contact between the component and the client is made full surface.

TWB System

Swings 180° and locks into rear position for convenient transfers.

Pad mounts offer up to 1.75" (44.45 mm) before and after adjustment.

TWBL's unique link system offers up to 200° of adjustment. Additional links may be added for larger offsets.



TWB Laterals offer articulating, adjustable link hardware and accessories that accommodate any individual's asymmetries. Angles just right. Snugs up and locks - **No Excuses!**

FSC



Full Surface Contact (FSC) Laterals are essential for providing necessary pressure dispersion to asymmetrical individual's. FSC Laterals combine articulating link hardware with 360° pad.

Swing-Away Elbow Stops



Taking advantage of our Swing-Away system and the Armrest mount, the Elbow Supports (ARMS-ES) add extra comfort to your clients. Easy to adjust and easy to position, it makes an essential tool for comfort and positioning, track or tube mounted.

ARMS-ES Options

Pads	
ARMSES-3x10	3"(76.2mm) x 10"(254mm) Elbow Support
ARMSES-3x10G	3"(76.2mm) x 10"(254mm) Elbow Support Gel
ARMSES-3x4G	3"(76.2mm) x 4"(101.6mm) Elbow Support Gel
ARMSES-3x3G	3"(76.2mm) x 3"(76.2mm) Elbow Support Gel


Swing-Away Mounting Hardware (Canes)	Swing-Away Mounting Hardware (Permobil)
ARMS-ES	ARMS-ESP
ARMS-ES-L (left)	ARMS-ESP-L (left)
ARMS-ES-R (right)	ARMS-ESP-R (right)

ARMSOTTO-ES Options | Swing-Away Mounting Hardware (Track)

ARMSOTTO-ES	Pair
ARMSOTTO-ES L	Left
ARMSOTTO-ES R	Right

TWBSHR Shoulder Retractor

Another great option to maintain proper client posture. Uses the TWBL's unique link system, FSC and lateral pad sizes.



Medial Hardware



MTHW-620
Fixed Hardware



MTHW-630
Removable Hardware

Also compatible with the FSC system (MTMD-613 Abductor).

Medial Thigh Support

The Medial Thigh Support is a popular hardware because of its versatility, adjustability and locking mechanism. With the unique link system, it allows to adjust the medial support for any seat thickness.

MTMD-613 (FSC)



Options

- Hardware**
- MTHW-600 Removable Fixed
 - MTHW-610 Removable Flip Down
 - MTHW-620 Fixed Flip Down Link Style
 - MTHW-630 Removable Flip Down Link Style
- Hardware Adaptor for MTHW-600 and MTHW-610**
- MTHW-23 2"(50.8mm) - 3"(76.2mm) Height
 - MTHW-34 3"(76.2mm) - 4"(101.6mm) Height
 - MTHW-45 4"(101.6mm) - 5"(127mm) Height
- Upgrades**
- MTMD-611 .5"(12.70mm) Gel upgrade

Wedge Pads

- MTMD-12 Small Wedge Pad
- MTMD-22 Small Wedge Pad with Knee Cut Out
- MTMD-13 Medium Wedge Pad
- MTMD-33 Medium Wedge Pad with Knee Cut Out
- MTMD-14 Large Wedge Pad
- MTMD-34 Large Wedge Pad with Knee Cut Out

Oval Pads

- MTMD-22 Small Oval Pad
- MTMD-23 Medium Oval Pad
- MTMD-24 Large Oval Pad

Pad Sizes

Size	Style	A	B	I	L
X-Small	Oval	2.5" (63.5mm)	3.5" (88.9mm)		3" (76.2mm)
Small	Wedge	3" (76.2mm)	4" (101.6mm)	2" (50.8mm)	3" (76.2mm)
Small	Oval	3" (76.2mm)	4" (101.6mm)		3" (76.2mm)
Medium	Wedge	4.5" (114.3mm)	5" (127mm)	2" (50.8mm)	3" (76.2mm)
Medium	Oval	4.5" (114.3mm)	5" (127mm)		3" (76.2mm)
Large	Wedge	5" (127mm)	5" (127mm)	3" (76.2mm)	4" (101.6mm)
Large	Oval	5" (127mm)	5" (127mm)		4" (101.6mm)




Seating - Back


Base Options




SB250
Planar Back Insert



BMD221
"T" Style Back Insert



BMD220
"I" Style Back Insert



BMD202
Contoured Back Insert


Back Modifications




BMD293
Spinal Relief Cut Out



BMD223
Bi-Angular Back Mod



BMD242
Adjustable Lumbar



BMD236
Scapular Cut Out

BMD254	Lumbar Roll
BMD256	Back Foam Overlay
BMD237	Foam -In-Place (information page 12)
BMD222	Grid Back
BMD255	Quick Fit Contour For Back
BMD222	Grid Back
TFBMD200	Extended Back Modification For TFB
BMD217	Bi-Angular Back 2 piece

Back Base Modifications

BMD214	1/4" (6.35mm) Aluminum Base For Back
BMD260	1/2" (12.70mm) ABS Base For Back
BMD244	3/8" (9.52mm) Flat Wood For Back
BMD294	Base Separate From Foam
BMD224	Curved Wood Back
BMD235	Curved Foam For SB250 Back

Back Mounting Hardware

Seat-To-Back & "L" Brackets

SBHD108	1 1/2" (38.1mm) Offset Wide Std. Profile
SBHD109	3" (76.2mm) Offset Wide Std. Profile
SBHD111	1 1/2" (38.1mm) Wide Adjustable
BHD220	Standard L Bracket (L - left) (R - right)
BHD222	Hinged L Bracket (L - left) (R-right)
BHD221	Transport L Bracket (L - left) (R - right)

Trouble Free Mount

SBHD120	1" (25.4mm) Tube TF Mount
SBHD122	7/8" (22.22mm) Tube TF Mount
SBNHD121	1" (25.4mm) Tube TF Mount - Short
SBNHD123	7/8" (22.22mm) Tube TF Mount - Short
SBHD125	1" (25.4mm) Tube TF Mount - Fixed
SBHD126	7/8" (22.22mm) Tube TF Mount - Fixed

Back Mounting Brackets

BHD203R	All Purpose Right Mounting Hardware
BHD203L	All Purpose Left Mounting Hardware
BHD202R	All Purpose Fixed Mounting HW. Right
BHD202L	All Purpose Fixed Mounting HW. Left
BHD210R	All Purpose Right With Hinged-L
BHD210L	All Purpose Left With Hinged-L

J&L Mount

IHD2507	5 Holes Standard "L" Bracket
IHD2509	7 Holes Standard "L" Bracket
IHD2501	10 Holes Standard "L" Bracket
IHD2511	7/8" (22.22mm) 2 Holes "J" Hooks
IHD2512	7/8" (22.22mm) 6 Holes "J" Hooks
IHD2514	1" (25.4mm) 6 Holes "J" Hooks

Stealth's Seating System

Stealth Products not only accessorizes wheelchair seating systems but designs and engineers them to offer a complete package. With a variety of positioning products and customizations, the seating line will exceed customers' expectations on Stealth's quality and innovation.

The seating systems cover:

- A. Backs and Seats
- B. Laterals, Pelvic/Thigh and Medial Positioning
- C. Belts, Trays, Lower Extremities & more

Back "L" Brackets



BHD222L • BHD222R
(Left) (Right)



BHD221L • BHD221R
(Left) (Right)

Bi-Angular Back Brackets



BHD231



BHD230

Upholstery & Foam Available Options

Neoprene or polychloroprene is a family of synthetic rubbers that are produced by polymerization of chloroprene. It is used in a wide variety of environments, such as in wet suits, laptop sleeves, electrical insulation, and car fan belts. It provides excellent insulation against cold, and guards against abrasions, like few materials do.

Vinyl polymers are a group of polymers derived from vinyl monomers. In popular usage, "vinyl" refers only to PVC. Vinyl polymers are the most common type of plastic.

Carbon fiber or carbon fibre (also sometimes called graphite fiber) is a material consisting of long thin sheets of graphite-like carbon, packed to form a fiber. It is commonly used in composite materials such as carbon fiber reinforced plastic (which is often also called carbon fiber). It has the highest specific tensile strength of all the reinforced materials (composite materials), and it has a high strength to weight ratio as well as low coefficient of thermal expansion.

Pudgee (Visco Elastic Foam) was originally developed for NASA, and it has been used with great effectiveness for over 20 years in the medical industry. This revolutionary heat and pressure sensitive foam protects sensitive skin, absorbs moisture and vibrations, improves blood circulation, and relieves skin tension. Pudgee foam is usually used in orthopedic chairs and beds, and it can be sterilized with alcohol or steam.

SunMate® is a viscoelastic "memory" foam with slow springback allowing it to contour to the body. It maximizes airflow to help reduce heat buildup.

Closed Cell Foams do not have interconnected pores. Normally the closed cell foams have higher compressive strength due to their structures.

All options available at www.stealthproducts.com

Drop Stops Hardware



- IHD2531 Rail Mount
- IHD2532 3/4"(19.05 mm) Tube
- IHD2533 7/8"(22.22mm) Tube
- IHD2534 1"(25.4mm) Tube

With Hold Downs

- IHD2530 Rail Mount
- IHD2535 3/4"(19.05 mm) Tube
- IHD2538 7/8"(22.22mm) Tube
- IHD2540 1"(25.4mm) Tube

IHD2535

Rotating Hold Down

With Rotating Hold Downs

- IHD2530 Rail Mount
- IHD2535 3/4"(19.05 mm) Tube
- IHD2538 7/8"(22.22mm) Tube
- IHD2540 1"(25.4mm) Tube

Mounting Hooks



IHD2543

Flex Mounting Hook



IHD2542

Flush Hook With Release Pin



Mounting Hooks

Lift	7/8"(22.22mm)	1"(25.4mm)
Flush	IHD2520	IHD2524
1"(25.4mm)	IHD2521	IHD2526
2"(58.8mm)	IHD2523	IHD2527




Our full seating system mounted on the Sprite pediatric mobility base

For hundreds of seating hardware, modifications, ideas and information, visit us at:




Base Options & Modifications




SS350

Standard Flat Seat Insert




SMD315R

Long Right Offset Mod




SMD315L

Long Left Offset Mod




SMD316

"T" Style Modification




SMD317

"I" Style Modification



SMD320

Anti-Thrust Modification



SMD318

Built-In Medial Thigh Mod



SMD321

Contoured Modification

SMD319	Seat Notches	SMD303	Hook And Loop Strips (Pair)
SMD322	Oversize 22"(558.8mm) - 24"(609.6mm)	SMD309	Monogram For Side
SMD323	Oversize 25" (635mm) - 28"(711.2mm)	SMD337	1"(25.4mm) Roho Adapter Pad
SMD360	Velcro Cap Cover	SMD336	1/4"(6.35mm) Wood Base Modification
SMD328	Ischial Cut-Out	SMD355	Quick Fit Contour Seat
SMD320	Transport Option Hardware	SMD358	Foam Overlay
SMD357	FIPS Cover with 1 unit of FIP solution	SMD362	Flush Anti-Thrust
SMD335	Sealed Incontinent Linen	SMD370	Omit T-Nuts

Seat Mounting Hardware

Seat-To-Back & "L" Brackets

SBHD110	1 1/2"(38.1mm) Offset Wide Low Profile
SBHD112	1 1/2"(38.1mm) Adjustable Ped
SBHD103	1 1/2" (38.1mm) Std. Offset
SHD305	Standard L Bracket (L - left) (R - right)
SHD306L	Transport L Bracket (left)
SHD306R	Transport L Bracket (right)

Seat Mounting Brackets

SHD300	All Purpose Mounting Hardware
SHD307	All Purpose Gap Saver Mntg. Brkt.
SHD308	All Purpose Rectangular Mntg. Brkt.
SHD310	1 1/2"(38.1mm) Offset Depth Spacer
SHD312	3"(76.2mm) Offset Depth Spacer
SHD313	1 1/2"(38.1mm) Offset Depth Sp. (Wide)

T/F Snap Ons

SBHD130	1"(25.4mm) T/F Snap On Mount
SBHD131	7/8"(22.22MM) T/F Snap On Mount
SBHD132	1"(25.4mm) with Release Pin
SBHD133	7/8" (22.22mm) with Release Pin



Trouble Free Mounting Hardware



Seating System

The Long Expected SOF

The new Stealth Products online Seating Order Form is around the corner. It will have all you need to submit a full seating order form on a push of a button. You will be notified if there are any discrepancies, hardware incompatibility, missing items, or contrasting information provided. The SOF is under development while being tested by our customer service representatives since December 2009.

Full of interactive tools (i.e., quote calculator, unit converter, order search engine, compatibility warnings, etc.). Also, it will be capable to save a draft, just in case you can't finish at the moment.

It is design to simplify the ordering process. The general section will allow you to enter both the customer and chair dimensions. This information will automatically calculate the right specifications you need. All elements in the order form will hold that information to eliminate reentries.

The SOF can be used as a guide to build a complete seating system from scratch, fully custom-built to the client!

It's been developed with the knowledge and ideas of the people involved in the process of building and configuring a complete seating system; from Customer Service personnel to the Shipping Team. This is what truly makes the online seating order form one of a kind.

Compatible with Microsoft Internet Explorer 8+, Mozilla Firefox 3.5+, Google Chrome 4+, Apple Safari 3+ and Opera 10.5+ using the latest scripting technologies, you can place an order no matter where you are.

And because it is still under development, you can be sure to find even more features in the future. Stealth Products has been a leader in innovative products, and this SOF proves it!!!



The True Forming Back System

The True Forming Back bestows absolute comfort, custom fit options, and trouble-free adjustability. The hardware is durable, easily accessible, and is hidden with a Velcro attached back for a clean, sleek look.

It is a system that allows for optimal fitting through a flexible back structure. The lightweight, aluminum plate embraces the contour of the back providing and maintaining the proper positioning of the trunk and pelvis.

We offer high quality stitch work that guarantees long lasting resiliency. The standard model TFB comes with dual layer foam for ultimate comfort. Choosing from assortment of types and range of densities in foam, each individual can be provided with the perfect comfort.

With the new aluminum back you can add even more functionality and versatility to the TFB. A track channel makes it easier to position to set up your wings and back mounting hardware for a superior comfort for your clients. Fully compatible with our full seating line of products.



TFB Packages Options

- TFB100** Trouble Free mounting hardware, cover with FIP, and 1 unit of FIP solution.
- TFB101** J & L hardware with adjustable and rotating hold downs, cover with FIP, and 1 unit of FIP solution.
- TFB102** J & L hardware with fixed hold downs, cover with FIP and 1 unit of FIP solution.
- TFB104** J & L hardware with fixed hold downs and seat/back hinge, and 1 unit of FIP solution.
- TFB105** J & L hardware with adjustable and rotating hold downs
- TFB106** J & L hardware with fixed hold downs
- TFB107** J & L hardware with fixed hold downs and seat/back hinge
- TFB108** Trouble Free mounting hardware
- TFBN110** Ultralight Back Pediatric Back with Center Mount includes removable foam and cover



The TFB with split wings



The Foam-In-Place (FIP) kit offers the possibility to create a mold to increase the contact surface with the back of the patient to correct posture.

Modifications

- TFBMD200** Extended Back (Need to Specify Dimensions)
- TFBMD201** Split Wing And Cover
- TFBMD202** Dual Track Mounting Hardware
- TFBMD203** Foam Option (Specify Type)
- TFBMD204** Individual Covered Items



For hundreds of seating hardware, modifications, ideas and information, visit us at:



Trays



Mini Tray
4" x 6"
 (101.6mm x 152.4mm)
GAT441 Hollow tray, ready to accept switches*
GAT441S - Solid tray



Partial Eclipse Tray
GAT440 Hollow tray - ready to accept switches*
GAT440S Solid tray*
GAT442 18" Hollow tray*
GAT443 20" Hollow tray*
 *360° rotation

GAT433 custom trays
 (specify padding, gel, hole placement, etc.)

Mini Tray Options




GAT441AM
 Mini Tray with ASL MEC joystick mount



GAT441M
 Mini Tray with mini proportional joystick mount

Mushroom Joystick



The Mushroom is a special need joystick that offers a unique mechanical and tactile configuration which amplifies minimal force and ROM to provide a valid option for those with poor hand control. The joystick was specially designed to reduce exertion by positioning the hand on the ball and resting the wrist on the joystick platform.



MJM260 - Gatlin Mount
MJM260I Invacare
MJM260P Permobil
MJM260Q Quantum / Quickie
MJM260DX DX Electronics
MJMS250 - Swing-Away Mount
MJMS250I Invacare
MJMS250P Permobil
MJMS250Q Quantum / Quickie
MJMS250DX DX Electronics



The Gatlin Series is a robust mid-line positioning system for trays, switches, driver inputs and displays. With multiple adjustment points and both horizontal and vertical mounts, the Gatlin can provide functional applications that offer extended, convenient use for any clients needs.



An assortment of mounts and interchangeable options create a custom system designed specifically for personal needs. Also, individual customizations can further enhance performance while providing optimal comfort.


Gatlin Joystick Options

Invacare

GAT480R	1812 Compact Joystick
GAT455S	MK V Joystick (DPJ, SPJ)
GAT426I	MK V MPJ
GAT427I	MK VI MPJ
GAT496I	MK VI Display
GAT425I	MK IV (A&A+) joystick
GAT415I	MK IV (A) joystick with 360 degree rotation
GAT28I	MK VI-MPJ with 360 degree rotation
GAT495I	MK IV & MK V Display

Quantum | Quickie | Permobil

GAT480S	P&G Dynamic Compact Joystick
GAT435Q	QTRONIX Joystick
GAT471P	Pilot Plus Joystick
GAT495G	P&G Display
GAT450D	Standard Delphi Joystick
GAT451D	Standard Delphi Joystick with 360 degrees rotation - Upgrade
GAT435Q	QR Stand Alone Joystick with 360 degrees rotation - Upgrade
GAT457Q	Standard Q Joystick
GAT430U	Universal
GAT471MD	Microdrive Joystick
GAT495QL	Q-Logic Display
GAT452Q	Quantum Rehab Stand Alone Joystick
GAT450D	Delphi Joystick
GAT495D	Delphi Display
GAT452Q	Quickie Delphi Stand Alone Joystick



We offer three versions of the Gatlin System. The original Gatlin GAT400 with its eight locking positions and the GAT405 with its two optional positions in combinations of horizontal and 95 degrees or horizontal and 180 degrees. Also a vertical model (GAT406) for chin driving.



Mini Joystick Mounts

GAT483	ASL MEC Joystick
GAT490	Mini Proportional Joystick
GAT445T	Tash Joystick



Accessories

The armrest mount Swing-Away is an extremely versatile joystick to display and switch for ultimate convenience. The ARMS can be easily mounted to a seat back, the bottom of a seat pan or a cane to provide additional switch sites for the lower extremities.

Mode Switch Options



Egg Switch Ring Mount

EGG SWITCHES

- A. Actuates from anywhere on its surface
- B. Grunge resistant/ easily cleaned
- C. Minimal actuation force required
- D. Provides both tactile and audio feedback
- E. Attaches almost anywhere
- F. Comes in a variety of attractive colors
- G. Economically priced

Color & Other Options

Black	ESBLK
Red	ESRED
Yellow	ESYEL
Green	ESGRN
Blue	ESBLU
Extension	ES-EXT



Bib Mounts



SBM775

The Mini Proportional Joystick Bib Mount includes a vertical track for height adjustment and a swivel assembly with a horizontal bracket that allows for variable tilt angles and horizontal adjustments. (Joystick not included)

SBM725

The Compact Joystick Bib Mount includes a vertical track for height adjustment and a swivel assembly with a horizontal bracket that allows for variable tilt angles and horizontal adjustments. (Joystick not included)



Q-Logic Display Mount ARMS260-QL




MKvi Display Mount ARMS260-I



Random Ideas

Create need specific devices to prolong daily usage. For pricing, refer to underlined reference numbers in ARMS section of price list.




Proportional Mushroom Joystick with two Micro-Lite Switches mounted on flex tubing



Gatlin Mini-Tray with MEC mount and a Flex Fiber Optic Mount

Universal Mount (ARMS260-UNI)

Add an ARMS260 for portable digital media and cellular devices.



Universal Mount (ARMS260-UNI)



Link Hardware (TWB480) with MK VI Joystick Mount TWBM260-MPJ

Swing-Away Armrest Mount for the ASL MEC ARMS260-MEC

Swing-Away Armrest Mount with a Yellow Egg Switch ARMS260/ESYEL

Add an extra mode switch almost anywhere. Mount under the armrest, under the seat pan or on the seat back.

The New iPad® Mounts



TWBM260-iPad


Available for iPad® and iPad2®

For hundreds electronics mounting hardware, modifications, ideas and information, visit us at:



Stealth Products Kits

Kit 101



Head Up!

Kit 101 includes all of the Stealth's headrest products you have grown to love. A key head support and positioning evaluative tool

This kit include:

- Head supports: adult Ultra QCRS, Comfort 14" (355.6mm), Comfort 10" (254mm), Large Combo, Small Combo.
- Swing-Aways: SUS9-B, CPS9-B and accessories.
- Headrest Hardware and Stealth tool kit with extra fasteners.

Kit 100



Stealth-In-A-Box

The name says it all. When you think of the ultimate head, lateral and joystick positioning kit, consider Stealth-In-A-Box.

This kit include:

- Head supports: adult Ultra QCRS, Comfort 14" (355.6mm), Comfort 10" (254mm), Niño Comfort 6" (152.4mm), Large Combo, Small Combo
- Swing-Aways: SUS9-B, SUSN9B, CPS9-B and accessories
- Headrest Hardware
- Lateral Supports
- Gatlin Series Joysticks Mounts
- Stealth Tool Kit with extra fasteners

Kit 103



* TWB486-FDM for international orders

i2i Kit

Brought to you by popular demand, Stealth offers the i2i Kit. This versatile head positioning kit is contained in the same rugged and stylish case as the Kit 101. Also the i2i kit includes our most popular sizes of head pads, hardware, and swing-aways. A perfect evaluation tool for the most challenging clients

This kit include:

- Head pads: i2i250, i2i350, i2i450, i2i550, i2i650
- Low Profile Head pads
- Adjustable Arms
- Vinyl Chin Prompts (Small, Medium, Large)
- One Swing-Away with two black egg switches
- One Swing-Away with two standard 900 pads
- Hardware: TWB480-17FDM, TWB485-17mm-FDM *
- Stealth Tool Kit with extra fasteners

Build Your Own Kit

For a more wide range of evaluation products, Stealth offers the Kit104. This kit allows you to build a custom configured set with any of the products we manufacture.

For example, if you prefer more pediatric products, your custom kit can be Niño specific. On the other hand, it can also be more of an adult positioning kit.



The kit's case are covered in 600 denier ballistic material with a 1/2" (12.7mm) wooden interior frame covered in foam. Heavy Duty wheels and pullout handle make moving equipment easy. Large external pocket is useful for carrying tools.

Look what's up now at



22 Countries Distribution

Domestic

All Pro

Rep: John Monroe
E-mail: jonmonroe1@aol.com
Service Area: Maryland - Virginia
Country : United States

Bill Holt and Associates Inc.

Rep: Patrick Sullivan
E-mail: pcsales@swbell.net
Website: www.billholtandassociates.com
Service Area: Texas

Bill Holt and Associates Inc.

Rep: Terry Blessing
E-mail: tbmlb4@hotmail.com
Website: www.billholtandassociates.com
Service Area: Houston Texas

Bill Holt and Associates Inc.

Rep: Paul Dossey
E-mail: pauldosseybha@yahoo.com
Website: www.billholtandassociates.com
Service Area: Northeast Texas

Bill Holt and Associates Inc.

Rep: Mark Sharpe
E-mail: mdsharpe@knology.net
Website: www.billholtandassociates.com
Service Area: Tennessee

Bill Holt and Associates Inc.

Rep: Dana Shelley
E-mail: shelleymed1@aol.com
Website: www.billholtandassociates.com
Service Area: Oklahoma

Bill Holt and Associates Inc.

Rep: Gregg Watson
E-mail: my_glock@hotmail.com
Website: www.billholtandassociates.com
Service Area: Arkansas
Country : United States

Bill Holt and Associates Inc.

Rep: Matt Macdonel
E-mail: matthewmacdonell@yahoo.com
Website: www.billholtandassociates.com
Service Area: Arkansas
Country : United States

Brewis Group Inc.

Rep: Barry Brewis
E-mail: barryb@brewisgroup.com
Website: www.brewisgroup.com
Service Area: Portland - Oregon - Southwest Washington

Brewis Group Inc.

Rep: Ken Nelson
E-mail: kenn@brewisgroup.com
Website: www.brewisgroup.com
Service Area: Alaska - Oregon

Brewis Group Inc.

Rep: Lisa Vons Cooper
E-mail: lisa@brewisgroup.com
Website: www.brewisgroup.com
Service Area: Los Angeles

Brewis Group Inc.

Rep: Ralph Zimmerman
E-mail: ralphz@brewisgroup.com
Website: www.brewisgroup.com
Service Area: Idaho - Montana - East Washington

Brewis Group Inc.

Rep: Duane Rhodes
E-mail: duaner@brewisgroup.com
Website: www.brewisgroup.com
Service Area: Western Washington

Brewis Group Inc.

Rep: Craig Richardson
E-mail: craigr@brewisgroup.com
Website: www.brewisgroup.com
Service Area: California Bay

Brewis Group Inc.

Rep: Wayne Grapes
E-mail: wayneg@brewisgroup.com
Website: www.brewisgroup.com
Service Area: California North Central - Nevada

Brewis Group Inc.

Rep: Brad White
E-mail: bradw@brewisgroup.com
Website: www.brewisgroup.com
Service Area: Southern California

CMD Medical Sales

Rep: Chris Davis
E-mail: chris@cmdmedsales.com
Website: www.cmdmedsales.com
Service Area: Arizona - New Mexico

Ed Med

Rep: Ed Brooks
E-mail: ebrooks3@verizon.net
Service Area: Pennsylvania East - New Jersey
Country : United States

Hearland Rehab Sales Inc

Rep: Matt Fitman
E-mail: rehabproductmasters@yahoo.com
Service Area: Wisconsin

Hearland Rehab Sales Inc

Rep: John McCarthy
E-mail: j-mccarthy@kc.rr.com
Service Area: Kansas

Hearland Rehab Sales Inc

Rep: Robert Smith
E-mail: bob@hearlandrehabsales.com
Service Area: Missouri - Illinois

Independent Medical Representatives Inc.

Rep: Michael Fiss
E-mail: mike@imweb.com
Website: www.imweb.com
Service Area: Colorado - Nebraska - Utah - Wyoming

McGinn And Associates

Rep: Jay McGinn
E-mail: mcginnassociates@cs.com
Service Area: North Carolina - South Carolina

McGinn And Associates

Rep: Scott Bonnell
E-mail: scottbonnell@aol.com
Service Area: Florida

Rehab Concepts

Rep: Mike Carlson
E-mail: mikec@rehabconcepts.org
Website: www.rehabconcepts.org
Service Area: Minnesota - Iowa - South Dakota

Rehab Representatives

Rep: Paula Maiberger
E-mail: pmaiberger@mindspring.com
Service Area: Alabama - Georgia

Roger Felske Associates Inc

Rep: Roger Felske
E-mail: rfelske@aol.com
Service Area: New York

Rehab Marketing

Rep: Richard Dove
E-mail: richard@rehabsales.com
Service Areas: Massachusetts - Connecticut - Rhode Island

Rehab Marketing

Rep: Melissa Coombs
E-mail: melissa@rehabsales.com
Service Areas: Massachusetts - Connecticut - Rhode Island

Target Medical Sales

Rep: Bob Brown
E-mail: bob@targetmed.com
Website: www.targetmed.com
Service Area: North Ohio - West Pennsylvania - West Virginia

Target Medical Sales

Rep: Casey Clark
E-mail: casey@targetmed.com
Website: www.targetmed.com
Service Area: Ohio

Target Medical Sales

Rep: Mark Swearingen
E-mail: mark@targetmed.com
Website: www.targetmed.com
Service Area: Indiana - Kentucky

International

Abilia

Rep: Bjørn Arntzen
E-mail: info@abilia.no
Website: www.abilia.no
Service Area: Norway

Avoris Oy

Rep: Jorma Kokko
E-mail: myynti@avoris.fi
Website: www.avoris.fi
Service Area: Finland

BES Rehab Ltd.

Rep: Barend ter Haar BSc DPhil ATP
E-mail: barend@besbiz.eu.com
Website: www.besbiz.eu.com
Service Area: United Kingdom

Boavista Solutions

Rep: Adner Silva
E-mail: adner@boavistasolutions.eu
Website: www.boavistasolutions.eu
Service Area: Portugal

Bodytech S.r.l

Rep: Andrea De Ranieri
E-mail: info@bodytechitalia.it
Website: www.bodytechitalia.it
Service Area: Italy

Disabili Abili S.r.l

Rep: Carlo Woods
E-mail: carlo@disabiliabili.net
Website: www.disabiliabili.net
Service Area: Italy

Doove Products BV

Rep: Bas Roelvelde
E-mail: products@doove.nl
Website: www.doove.nl
Service Area: Netherlands Holland

Fumagalli S.R.L.

Rep: Maria Agati
E-mail: info@fumagalli.org
Website: www.fumagalli.org
Service Area: Italy

Invacare Australia

Rep: Ian Mortimer
E-mail: sales@invacare.com.au
Website: www.invacare.com.au
Service Area: Australia

Invacare Canada

Rep: Charles Harrison
E-mail: sales@invacare.ca
Website: www.invacare.ca
Service Area: Canada

Target Medical Sales

Rep: John Ferry
E-mail: john@targetmed.com
Website: www.targetmed.com
Service Area: Michigan

Willcare Associates

Rep: Joe Norton
E-mail: jnorton810@aol.com
Website: www.willcareonline.com
Service Area: Delaware - New Jersey

Willcare Associates

Rep: Willa Moats
E-mail: willcare@ptd.net
Website: www.willcareonline.com
Service Area: New York

Invacare New Zealand

Rep: Yvonne Glidden
E-mail: sales@invacare.co.nz
Website: www.invacare.co.nz
Service Area: New Zealand

JC Medical Instruments

Rep: Mr. Kevin Wei
E-mail: kevin@jc-medical.com
Website: www.jc-medical.com
Service Area: Taiwan

Licon Rehab

Rep: Mr. Gordon Wong
E-mail: liconrehab@ctimail3.com
Service Area: Hong Kong

Madame Dubarry, S.A. de C.V.

Rep: Karla Plant
E-mail: kplant@medical-center.com.mx
Website: www.medical-center.com.mx
Service Area: Mexico

Medema Gruppen

Rep: Peter Nielsen
E-mail: firmapost@medema.no
Website: www.medema.no
Service Area: Norway - Denmark - Sweden

MMS

Rep: Jessica Greaney
E-mail: info@mmsmedical.ie
Website: www.mmsmedical.ie
Service Area: Ireland

Progettiamo Autonomia

Rep: Barbara Bagnoli
E-mail: bagnolib@progettiamoautonomia.it
Website: www.progettiamoautonomia.it
Service Area: Italy

Rehab

Rep: Diego Rios
E-mail: ventas@ortopediarehab.com.ar
Service Area: South America

Rehatec

Rep: Jean-Marie Filz
E-mail: office@rehatec.ch
Website: www.rehatec.ch
Service Area: Switzerland

Rupiani

Rep: Jean-Marie Mangelot - President
E-mail: jm.mangelot@rupiani.fr
Website: www.rupiani.fr
Service Area: France

Technik & Reha Vertriebs GmbH

Rep: Albert Föhrenbühler
Email: a.föhrenbühler@t-rv.de
Service Area: Germany

And Growing... Become a distributor
and be part of our team.



104 John Kelly Dr., Burnet, TX 78611
1-800-965-9229 • 1-800-806-1225

Follow Us in

