





SECTIONS INDEX



Once Upon A Time



What is the Diego System?

The Diego System was inspired by our ever changing industry and the need for pediatric seating system designed for that market.

Through the years we have discovered that the pediatric end user needs a modular growth seating system. We began to look into how we could incorporate sound positioning features into a next generation seating system that was not just a scaled down version of an adult seat but one designed specifically for a smaller user.

One of our customers from Latin America has helped us through this journey. Diego Martin Rios has been a customer of Stealth's for over ten years and has a high focus on pediatrics. When discussing the future of seating with Diego he pointed out key properties in a child's development.

Modularity

If we cannot keep up with a child's growth we would struggle in this space.

Innovation

We needed to focus on our strengths in design and unique function.

Our design team has been excited to work on this project and we are excited to bring to you the all new Diego System!



Part Number Structure

Seat Packages

Diego Brand Abbreviation

Seat

Width¹

10 - 10in (25.40 cm) **12** - 12in (30.48 cm)

14 - 14in (35.56 cm)

Depth¹

10 - 10in (25.40 cm)

12 - 12in (30.48 cm)

14 - 14in (35.56 cm) **16** - 16in (40.64 cm)

Hardware

JL - J&L Style SO - Snap On

Cane Size

1 - 1in (2.54 cm)

2 - 7/8in (2.22 cm)

3 - 3/4in (1.91 cm)

Back Packages

Diego Brand Abbreviation

Back

Width¹

10 - 10in (25.40 cm)

12 - 12in (30.48 cm)

14 - 14in (35.56 cm)

Height¹

10 - 10in (25.40 cm)

12 - 12in (30.48 cm)

14 - 14in (35.56 cm)

16 - 16in (40.64 cm)

Foam **Package**

1/2 HR3 Foam 1/4 Closed Cell

B 1/2 Medium SunMate® 1/2 HR3 Foam

Cover **Type**

C - Coolcore

Mouting **Hardware**

FL - FlipLock™

Head Support Packages

Comfort+ Brand Abbreviation

Pad Size²

06 - 6in (15.24 cm) 08 - 8in (20.32 cm)

Cover Style

CC - Coolcore

Mounting Hardware

H51 - HMO501



Contoured Seat System

The Diego Seat System has been specifically designed for pediatric users. No more reduced versions of adult products. Its main characteristics are:

- 1. Minimalistic Design and Simple Ordering
- 2. Expandable Frame Adaptability
- 3. Easy Set Up
- 4. Easy Maintenance
- **On-Demand Configuration**

In seating pelvic support is the key factor for proper positioning, the Diego Contoured Seat helps promote a more centralized posture and a good start for better positioning.




Figure 6.2 10 in x 10 in 10 in x 12 in (25.40 cm) x (25.40 cm) (25.40 cm) x (30.48 cm) 12 in x 12 in 12 in x 14 in (30.48 cm) x (30.48 cm) (30.48 cm) x (35.56 cm) 14 in x 14 in 14 in x 16 in (35.56 cm) x (35.56 cm) (35.56 cm) x (40.64 cm)


Seat Overview

					Figure 6.4
in (cm) Width	Depth	10 (25.40)	12 (30.48)	14 (35.56)	16 (40.64)
10 (25.40		Ø		8	
12 (30.48		8		Ø	
14 (35.56		8		Ø	

^{*} WC20 transit hardware requires: WC18 Restraint, WC19 Base and WC20 Seat/Back. Per RESNA WC-4:2012/ISO 16840. For more information visit see back cover

Seat Features





aesthetics.

with up to 2in (5.08cm) width growth and 3in (7.62cm) of frame, check the chair user manual or call its manufactur- snap on elasticity. depth growth, and an incremental of 1/2in (1.27cm) height er. This is important for warranty purposes. adjustment.

The Diego System Seat has been designed with child's Diego System has been crash tested to ensure it is safe growth in mind without compromising on durability and during transport make it WC20 Certified, which requires a WC19 certified frame as well as certified restrains.

With an unobtrusive design the seat can be configured. If you are not sure the wheelchair is a WC19 certified

The base is made out of black powder coated aluminum. The J&L hardware and all its elements are made out of black anodized aluminum. The Trouble-Free snap-on mounting option is made out of a combination of black anodized aluminum and black plastic clamps for minimum



Contoured Back System

The Diego Back System has been specifically designed for pediatric users. No more reduced versions of adult products. Its main characteristics are:

- Adjustable Contoured Back
- **Growth Adaptability**
- 3. Easy Set Up
- Easy Maintenance
- On-Demand Configuration







Figure 8.2




10 in x 10 in (25.40 cm) x (25.40 cm)




10 in x 12 in (25.40 cm) x (30.48 cm)




12 in x 12 in (30.48 cm) x (30.48 cm)



12 in x 14 in (30.48 cm) x (35.56 cm)



14 in x 14 in (35.56 cm) x (35.56 cm)



14 in x 16 in (35.56 cm) x (40.64 cm)


in (cm) Width	Height	10 (25.40)	12 (30.48)	14 (35.56)	16 (40.64)
10 (25.40))	Ø	②	8	
12 (30.48)		8	Ø	Ø	3
14 (35.56	5)	(3)	3		

Figure 8.4

Back Built-In Lateral Support



Back System Built-in Lateral Support



11/4 in 2 1/2 in (6.35cm) Adjustment Range 3 in Back Width + 1 11/16in* (4.24cm) Back Width - 13/32in (2.75cm) H 1/2in* (13.74mm) Inset from Neutral Position per side 27/32in* (21.25mm) Offset from Neutral Position per side

Width/Wing Adjustment

The built-in lateral support includes black powder-coated aluminum wings (F), swing-away or fixed lateral hardware (E) with comfortable lateral hardware pads made out of closed cell foam (B, C) and HR3 contact foam (A), covered with Coolcore® Technology covers on each side of the System.

The built-in wing set adds on-demand contoured height and width configuration. Height adjustment might be limited by mounting hardware position and foam required overlay to avoid aluminum parts coming in contact with end user.

Lateral Hardware Features

the modular hardware and has been completely hardware options: a) Fixed or b) Swing-Away. modified for pediatric use. It has two points of adjustment for on-demand width/height growth. The fixed hardware offers width and growth Made out of aluminum with black anodized finish. option, as well as the Swing-Away version. The

The redesigned lateral hardware is inspired by The Diego Back can be configured with two lateral Swing-Away version offers easy flip-away for parents or care-givers during transfers or any other type of care. The Swing-Away hardware comes with a very distinctive red anodized button for easy visual reference.





Figure 9.3 - Showing hardware width adjustment. Has also 1in (2.54cm) of height adjustment by using the wing lateral hardware track.

Figure 9.4 - The Swing-Away option makes it easier to get the hardware out of the way during transferring or any other type of care. It provides approximately 120° degrees swing-away action.



Back Mounting Hardware

NEW FlipLock Mounting



FlipLock mount is a versatile back mount, meaning release for easy back or full system removal.

Introduced to the market with the Diego System, the FlipLock has been crash tested with the Diego The FlipLock has a total of 40° degrees recline System and certified WC20*, offering the assurance angle for a more personalize adjustment and its that can be configured to mount either to the right that it will hold its ground in case of an emergency. cane clamp fits frames with canes diameters from or left side¹, between canes or full width. By a flip of WC20 hardware requires a WC19 certified 19/32in (1.52cm) to 1in (2.54cm). a red anodized lever, the FlipLock locks-in-place or wheelchair frame, WC20 Back/Seat and WC18 restrains to guarantee safety and proper protection.



^{*} WC20 transit hardware requires: WC18 Restraint, WC19 Base and WC20 Seat/Back. Per RESNA WC-4:2012/ISO 16840. For more information visit see back cover 1. Depending on configuration

Foam Options & Lateral Pads



Foam Packages



HR3 Contact Foam

Medium SunMate® Contact Foam

1/4in (6.35mm) Closed Cell Foam

1/2in (12.70mm) HR3 Base Foam

*Package adds \$95.00 USD to Back Cost



Lateral Pads

Back Width	Lateral Pad Size
10in (25.40 cm)	3 x 3 in (7.62 x 7.62 cm)
12in (30.48 cm)	3 x 4 in (10.16 cm)
14in (35.56 cm)	4 x 4 in (10.16 x 10.16 cm)

Standard configuration, to change call CSR or contact your local Stealth Representative



Stealth Positioning Options for Diego System



Pelvic Belts



2 Points Pelvic Belts



Four Points Pelvic Belts

2 Points Pelvic Belts [E0978]**

IFPB5111 Push Button, 1in (2.54cm), Single Pull X-Small Pads \$86.00 IFPB5112 Push Button, 1in (2.54cm), Single Pull Small Pads

4 Points Pelvic Belts [E0978]**

IFPB5145 Push Button, 1in (2.54cm), Single Pull X-Small Pads \$130.00 IFPB5146 Push Button, 1.5in (3.81cm), Single Pull Small Pads \$130.00

Posture Support [E0960]**

	o ombho: [=====]	
IFPS1101	Classic, Dynamic, 1in (2.54cm), Pull Down, X-Small	\$142.00
IFPS1102	Classic, Dynamic, 1in (2.54cm), Pull Down, Small	\$142.00
IFPS1201	Classic, Structure, 1in (2.54cm), Pull Down, X-Small	\$142.00
IFPS1202	Classic, Structure, 1in (2.54cm), Pull Down, Small	\$142.00
IFPS2101	Contoured, Dynamic, 1in (2.54cm), Pull Down, XS	\$142.00
IFPS2102	Contoured, Dynamic, 1in (2.54cm), Pull Down, S	\$142.00
IFPS2201	Contoured, Structure, 1in (2.54cm), Pull Down, XS	\$142.00
IFPS2202	Contoured, Structure, 1in (2.54cm), Pull Down, S	\$142.00

Posture Support



Contour Classic



Head Support Features

Diego System Head Solutions

The Diego System's head support utilizes our popular Comfort Plus™ pediatric head pads combined with our latest Multi-Axis universal head support mount, the HMO501, and lightweight hardware designed to allow positioning the head pad where the end user actually needs the support. The head pads come in 6in (15.24 cm) or 8in (20.32 cm) (see figure 13.4 on next page for more information).




Figure 12.3


HMO501 Mounting Hardware

The HMO501 is a minimalistic and aesthetic hardware, followed by our most popular TWB head pad positioning capabilities, making it one balance and less horizontal offset. of our most versatile head support mounting

designed hardware that offers multiple points of series. Even though is part of our simple HMO adjustments, which allows for an almost unlimited series, this hardware offers better positioning








The HMO501 is also designed for a more The HMO501 is specifically designed with a small universal approach, since it mounts to either profile. Made out of black anodized aluminum, it is strong and engineered to maintain its position.

^{*} WC20 transit hardware requires: WC18 Restraint, WC19 Base and WC20 Seat/Back. Per RESNA WC-4:2012/ISO 16840. For more information visit see back cover.

Head Support Features

The Comfort Plus Head Pad



A Black Anodized Aluminum Base

- Hook & Loop strip and back (B) of foam for easy removal for maintenance
- Closed Cell base foam

The Comfort Plus is the most popular seller on our With the Diego System, the Comfort + comes covered catalog it has a black anodized aluminum base with a by our new Coolcore Technology upholstery, designed very comfortable HR3 contact foam and Closed Cell to maintain comfortable temperature and breath-abilibase foam. The pad is attached to the base using hook ty through out the seasons. The Coolcore is a chemiand loop which makes it easier to remove in case it cal-free fabric. For more information see next page. needs cleaning or washing.

HR3 Contact Foam


Diego System specific cover, 4-ways Coolcore® Technology contact upholstery with Honeycomb non-contact cover.



6in

Figure 13.4

Size provided based on frame size. Total



PAD DIMENSION REFERENCE 1/4 in (1.91 cm) overlay 4 1/2in (11.43 cm) Foam Final Width 6 1/2in (16.51 cm)

1/4 in (1.91 cm) overlay **2in** 1 (5.08 cm) 6in (15.24 cm) Frame Final Width

5 1/2in (13.97 cm)

9 1/2 in (24.13 cm) ≈ 3/4 in (1.91 cm) overlay 2in 8in (20.32 cm) Frame Final Width

Figure 13.4 The head pad dimension varies, it depends on cover, seams and foam density. Foam configuration or dimensions might change in the future without further notice



Stealth's Cushions Thermoregulation line is not a new technology, but a new application. The Coolcore Technology starts with cooling but the patented yarn technology makes for a better textile that provides year-round temperature regulation.

What's Coolcore?

Coolcore is a research proven performance fabric technology that adapts to its environment and regulates temperature by managing heat and moisture. The proprietary construction helps manage and distribute your body heat, and if you work up a sweat, it rapidly cools through regulated evaporation. Whether for the casual or athletic minded? Coolcore has the ability to change your personal environment and greatly improve your overall well being.

Cover Benefits

- Year Round Temperature Control
- Chemical Free
- 4-Way Stretch
- Patented Technology
- Better Cooling Ability
- Durable Last Longer
- Protects from Sun's Harmful Rays (UPF)

Chemical-Free Fabric Technology


Normally other brand fabrics use topical chemicals that not only can be harmful to your skin, but after only a few washes, the cooling properties of the product are no longer effective. The Coolcore cooling technology is built into the fabrics fibers, preventing any decline in the performance and keeping it's cooling properties for the life of the garment. Coolcore patented technology allows for a controlled evaporative process that keeps you cool, dry and comfortable in any condition.

A great base cover in summer is a great base cover in winter!

Research driven, patented fabrics from Coolcore are chemical-free and yield remarkable benefits. They cool better, last much longer and offer protection from the suns harmful rays (UPF).

While the other makers of cooling fabrics use a number of chemicals to enhance wicking, transportation and evaporation, Coolcore fabrics are chemical free. To make that possible, we changed the essence of cooling fabric technology right down to its very core.





CALL +1 (512) 715-9995 OR +1 (800) 965-9229 FOR MORE INFORMATION



Great Together



True Comfort Bac



Stealth's Cushion



powered by COOLCORE

Custom Seating
Reimagineal

for more information visit www.StealthProducts.com

Stealth Products
Solutions For Life





Seating

Pelvic

Trunk

Head

104 John Kelly Drive Building A Burnet, Texas, 78611

+1 (512) 715-9995 +1 (800) 965-9229 USA toll free

information@sw.stealthproducts.com







